

Let us help you select the right vinyl products to ensure successful flooring and wall solutions.

ASTORIA OAK HERRINGBONE VINYL FLOORING RPQ4147

SKU: RPQ4147



Astoria Oak Herringbone Vinyl Flooring from the Camaro Rigid Core PUR is a collection of Stone Polymer Composite (SPC) luxury interlocking vinyl flooring tiles, replicating the natural beauty of wood, designed for use in residential interiors.

Let us help you select the right vinyl products to ensure successful flooring and wall solutions.

- [Overview](#)
- [Downloadable Assets](#)
- [BOQ Specification](#)
- [Technical Product Compliance](#)
- [Comprehensive Specification](#)

Overview

- Camaro Rigid Core PUR- a SPC collection of high design luxury interlocking vinyl flooring tiles, ideal for all home interiors
- Natural wood, herringbone, cement and micro terrazzo effect planks and tiles
- Featuring a polyurethane coating to reduce maintenance costs
- Indoor Air Comfort GOLD - Very low VOC Emissions
- Contains average 15% recycled content
- Built-in acoustic backing - no need for separate underlay
- 18dB impact sound reduction
- Valinge 5G 'Press-fit' technology

Downloadable Assets

- [BoQ Specification](#)
- [Comprehensive Specification](#)

BoQ Specification

Supply and install Camaro Rigid Core PUR rigid interlocking vinyl floor tile, it shall have the following laminated construction: circa 0.3mm clear PVC wear layer, circa 0.07mm print film layer and circa 4.5mm rigid layer and 1mm IXPE acoustic foam layer, with a high quality, cross-linked polyurethane reinforcement to provide superior cleaning benefits, life cycle maintenance savings and optimum appearance retention, in accordance with EN 649/EN ISO 10582 and installed on a previously prepared Class 1 subfloor in accordance with SANS 10070, using a Polyflor recommended self-leveller and moisture barrier when required, including cutting and waste, available from Polyflor (011) 609 3500.

- **Colour:** Astoria Oak Herringbone
- **Code:** RPQ4147

Let us help you select the right vinyl products to ensure successful flooring and wall solutions.

Technical Product Compliance

- Camaro Rigid Core PUR- a collection of SPC high design luxury interlocking vinyl flooring tiles, ideal for all home interiors
- 5.5mm Gauge
- 0.3mm Wear Layer
- Available in 3 formats: Plank, Tile and Herringbone
- Featuring a polyurethane coating to reduce maintenance costs
- Indoor Air Comfort GOLD - Very low VOC Emissions
- Contains average 15% recycled content

Comprehensive Specification

Supply and install Camaro Rigid Core PUR rigid interlocking vinyl floor tile, it shall have the following laminated construction: circa 0.3mm clear PVC wear layer, circa 0.07mm print film layer and circa 4.5mm rigid layer and 1mm IXPE acoustic foam layer, the flooring shall feature a high quality, cross-linked polyurethane reinforcement to provide superior cleaning benefits, life cycle maintenance savings and optimum appearance retention, in accordance with EN 649/EN ISO 10582, the in-use classification must be at least 23/31 as described in EN 685/EN ISO 10874: i.e. domestic areas with heavy use; commercial areas with low or intermittent use, in respect of flame spread, the flooring shall have been fully tested to EN 13501-1 and certified as having Class B -S1, achieving the criteria EN ISO 9239-1 $\geq 8\text{kw/m}^2$ and the mandatory requirement of EN ISO 11925-2 pass. The flooring shall have been fully tested to ASTM E648 by an independent test house and classified as Class 1 rating, making it suitable for use in institutional, commercial and public buildings, with regard to EN 13893 for slip resistance, the flooring shall be classified DS, making it suitable for use in areas which are predominantly dry, when tested to DIN 51130, the flooring achieves an R10 slip rating, for flooring with sustainable wet slip resistance, refer to Expona Control PUR or the Polysafe ranges, the product's weight should not be more than 8,570g/m², in respect of light fastness, the flooring shall have been fully tested to ISO 105-B02 Method 3 as having a pass to ≥ 6

- **Colour:** Astoria Oak Herringbone
- **Code:** RPQ4147

DO YOU HAVE QUESTIONS ABOUT VINYL FLOORING?

[CONTACT US](#)