

Let us help you select the right vinyl products to ensure successful flooring and wall solutions.

## **DUNE RISE VINYL FLOORING 9640**

**SKU:** 9640



**Dune Rise Vinyl Flooring** from the XL PU range combines high performance with optimum style and enables the transformation of any commercial environment through the selection of vivid colours. XL PU features a polyurethane surface treatment which provides an excellent foundation for an easy, ongoing maintenance regime.

**[ORDER THIS ROLLING REGULAR](#)**

Let us help you select the right vinyl products to ensure successful flooring and wall solutions.

- [Specifications](#)
- [Overview](#)
- [Gallery](#)

- Full conformance with the requirements of ISO 10581/EN 649
- Flexible pvc sheet flooring in 1.5mm, 2mm thickness
- Use area classification 23/34/43 as defined in ISO 10874/EN 685
- Fully tested to EN 13501-1 in respect of flamespread
- For slip resistance, classified DS to EN 13893
- Abrasion group M (EN 660-2) and classified Type II within ISO 10581
- BRE Global A+ rating ENP 472\* in major use areas such as education and healthcare
- Tested to international standards for low VOC emissions

Code	9640
Weld Rod	9640
Gauge	1.5mm 2mm
Roll Size	2m x 27.5m (1.5mm) 2m x 20m (2mm)
Tile Size	300 x 300mm (2mm) 608 x 608mm (2mm)
Box Quantity	50 (300 x 300mm, 2mm) 14 (608 x 608mm, 2mm)
Coverage	4.5m <sup>2</sup> (300 x 300mm, 2mm) 5.17m <sup>2</sup> (608 x 608mm, 2mm)
LRV	25
NCS	S 5502-B

XL PU features a polyurethane surface treatment which provides an excellent foundation for an easy, ongoing maintenance regime.

Polyflor Homogeneous ranges demonstrate outstanding durability and abrasion resistance. XL PU achieves the excellent abrasion wear rating Group M (EN 660 Part 2).

Following an individual assessment from BRE Global, XL PU achieves an A+ rating in major sectors such as health,

Let us help you select the right vinyl products to ensure successful flooring and wall solutions.

education and retail (ENP472).

XL PU is 100% recyclable and contains 25% recycled material. Ideally suited for heavy traffic areas, XL PU is recommended for public, institutional and commercial buildings where ease of maintenance and long life under heavy traffic are required, eg hospitals, schools, laboratories and offices.



The XL PU Vinyl Flooring range can be used in the following areas:

- [Healthcare](#)
- [Education](#)
- [Retail](#)
- [Commercial](#)



---

## DO YOU HAVE QUESTIONS ABOUT VINYL FLOORING?

[CONTACT US](#)