

# Polysafe™ Standard PUR


## Range Shades

Decoration and shade may vary from the sample shown.

SA Sales Direct: +2711609 3500 | email: [marketing@polyflor.co.za](mailto:marketing@polyflor.co.za) | [www.polyflor.co.za](http://www.polyflor.co.za)

# Polysafe Standard PUR

## Alpine Green



Code 4110  
Weld Rod 4110  
Gauge 2mm  
2.5mm  
Roll Size 2m x 20m  
LRV 27  
NCS S 4010-G30Y

w/r = weld rod  
NCS = Natural Colour System  
LRV = Light Reflective Value

Decoration and shade may vary from the sample shown.

SA Sales Direct: +2711 609 3500 | email: [marketing@polyflor.co.za](mailto:marketing@polyflor.co.za) | [www.polyflor.co.za](http://www.polyflor.co.za)

**POLYFLOR™**  
SOUTH AFRICA

**A+BRE**  
ENP 472  
ENVIRONMENTAL  
RATING  
Refer to BRE Global ratings on  
[www.greenbooklive.com](http://www.greenbooklive.com)

 **100% RECYCLABLE  
CONTAINS RECYCLED MATERIAL**


**POLYSAFE**  
**PUR**  
OPTIMUM  
APPEARANCE

HSECompliant  
**36+**  
PendulumWetTest

**Sustainable Slip Resistance**  
throughout product's guaranteed life

# Polysafe Standard PUR

## Arctic Blue



Code 4130  
Weld Rod 4130  
Gauge 2mm  
2.5mm  
Roll Size 2m x 20m  
LRV 25  
NCS S 4020-B

w/r = weld rod  
NCS = Natural Colour System  
LRV = Light Reflective Value

Decoration and shade may vary from the sample shown.

SA Sales Direct: +2711 609 3500 | email: [marketing@polyflor.co.za](mailto:marketing@polyflor.co.za) | [www.polyflor.co.za](http://www.polyflor.co.za)

**POLYFLOR™**  
SOUTH AFRICA

**A+BRE**  
ENP 472  
ENVIRONMENTAL  
RATING  
Refer to BRE Global ratings on  
[www.greenbooklive.com](http://www.greenbooklive.com)

 **100% RECYCLABLE  
CONTAINS RECYCLED MATERIAL**

**POLYSAFE**  
**PUR**  
OPTIMUM  
APPEARANCE

HSECompliant  
**36+**  
PendulumWetTest

**Sustainable Slip Resistance**  
throughout product's guaranteed life

# Polysafe Standard PUR

## Ash Grey



Code 4540  
Weld Rod 2090  
Gauge 2mm  
2.5mm  
Roll Size 2m x 20m  
LRV 37  
NCS S 3502-B

w/r = weld rod  
NCS = Natural Colour System  
LRV = Light Reflective Value

Decoration and shade may vary from the sample shown.

SA Sales Direct: +2711 609 3500 | email: [marketing@polyflor.co.za](mailto:marketing@polyflor.co.za) | [www.polyflor.co.za](http://www.polyflor.co.za)

**POLYFLOR™**  
SOUTH AFRICA

**A+BRE**  
EMP 472  
ENVIRONMENTAL  
RATING  
Refer to BRE Global ratings on  
[www.greenbooklive.com](http://www.greenbooklive.com)

 **100% RECYCLABLE  
CONTAINS RECYCLED MATERIAL**

**POLYSAFE**  
**PUR**  
OPTIMUM  
APPEARANCE

HSECompliant  
**36+**  
PendulumWetTest

**Sustainable Slip Resistance**  
throughout product's guaranteed life

# Polysafe Standard PUR

## Autumn Beige



Code 4140  
Weld Rod 4140  
Gauge 2mm  
2.5mm  
Roll Size 2m x 20m  
LRV 39  
NCS S 3010-Y30R

w/r = weld rod  
NCS = Natural Colour System  
LRV = Light Reflective Value

Decoration and shade may vary from the sample shown.

SA Sales Direct: +2711 609 3500 | email: [marketing@polyflor.co.za](mailto:marketing@polyflor.co.za) | [www.polyflor.co.za](http://www.polyflor.co.za)

**POLYFLOR™**  
SOUTH AFRICA

**A+ BRE**  
ENVIRONMENTAL  
RATING  
Refer to BRE Global ratings on  
[www.greenbooklive.com](http://www.greenbooklive.com)

 **100% RECYCLABLE  
CONTAINS RECYCLED MATERIAL**


**POLYSAFE**  
**PUR**  
OPTIMUM  
APPEARANCE

HSECompliant  
**36+**  
Pendulum Wet Test

**Sustainable Slip Resistance**  
throughout product's guaranteed life

# Polysafe Standard PUR

## Black Walnut



Code 4150  
Weld Rod 8640  
Gauge 2mm  
2.5mm  
Roll Size 2m x 20m  
LRV 6  
NCS S 8505-Y20R

w/r = weld rod  
NCS = Natural Colour System  
LRV = Light Reflective Value

Decoration and shade may vary from the sample shown.


SA Sales Direct: +2711 609 3500 | email: [marketing@polyflor.co.za](mailto:marketing@polyflor.co.za) | [www.polyflor.co.za](http://www.polyflor.co.za)



Sustainable Slip Resistance throughout product's guaranteed life

# Polysafe Standard PUR

## Cedar Blue




Code 4060  
Weld Rod 9040  
Gauge 2mm  
2.5mm  
Roll Size 2m x 20m  
LRV 14  
NCS S 5030-B

w/r = weld rod  
NCS = Natural Colour System  
LRV = Light Reflective Value

Decoration and shade may vary from the sample shown.

SA Sales Direct: +2711 609 3500 | email: [marketing@polyflor.co.za](mailto:marketing@polyflor.co.za) | [www.polyflor.co.za](http://www.polyflor.co.za)



100% RECYCLABLE  
CONTAINS RECYCLED MATERIAL




HSECompliant  
**36+**  
PendulumWetTest

Sustainable Slip Resistance  
throughout product's guaranteed life

# Polysafe Standard PUR

## Cool Aqua




Code 4570  
Weld Rod 4570  
Gauge 2mm  
2.5mm  
Roll Size 2m x 20m  
LRV 35  
NCS S 3020-B10G

w/r = weld rod  
NCS = Natural Colour System  
LRV = Light Reflective Value

Decoration and shade may vary from the sample shown.

SA Sales Direct: +2711 609 3500 | email: [marketing@polyflor.co.za](mailto:marketing@polyflor.co.za) | [www.polyflor.co.za](http://www.polyflor.co.za)



Sustainable Slip Resistance throughout product's guaranteed life



# Polysafe Standard PUR

## Elmwood



Code 4520  
Weld Rod 9610  
Gauge 2mm  
2.5mm  
Roll Size 2m x 20m  
LRV 39  
NCS S 3010-Y60R

w/r = weld rod  
NCS = Natural Colour System  
LRV = Light Reflective Value

Decoration and shade may vary from the sample shown.

SA Sales Direct: +2711 609 3500 | email: [marketing@polyflor.co.za](mailto:marketing@polyflor.co.za) | [www.polyflor.co.za](http://www.polyflor.co.za)

**POLYFLOR™**  
SOUTH AFRICA

**A+BRE**  
EMP 472  
ENVIRONMENTAL  
RATING  
Refer to BRE Global ratings on  
[www.greenbooklive.com](http://www.greenbooklive.com)

 **100% RECYCLABLE  
CONTAINS RECYCLED MATERIAL**


**POLYSAFE**  
**PUR**  
OPTIMUM  
APPEARANCE

HSECompliant  
**36+**  
Pendulum Wet Test

**Sustainable Slip Resistance**  
throughout product's guaranteed life

# Polysafe Standard PUR

## Lilac Blue




Code 4580  
Weld Rod 4580  
Gauge 2mm  
2.5mm  
Roll Size 2m x 20m  
LRV 23  
NCS S 4020-R60B

w/r = weld rod  
NCS = Natural Colour System  
LRV = Light Reflective Value


Decoration and shade may vary from the sample shown.

SA Sales Direct: +2711 609 3500 | email: [marketing@polyflor.co.za](mailto:marketing@polyflor.co.za) | [www.polyflor.co.za](http://www.polyflor.co.za)



# Polysafe Standard PUR

## Nordic Grey



Code 4090  
Weld Rod 8680  
Gauge 2mm  
2.5mm  
Roll Size 2m x 20m  
LRV 24  
NCS S 5005-B20G

w/r = weld rod  
NCS = Natural Colour System  
LRV = Light Reflective Value

Decoration and shade may vary from the sample shown.



SA Sales Direct: +2711 609 3500 | email: [marketing@polyflor.co.za](mailto:marketing@polyflor.co.za) | [www.polyflor.co.za](http://www.polyflor.co.za)



Sustainable Slip Resistance throughout product's guaranteed life

# Polysafe Standard PUR

## Redwood



Code	4040
Weld Rod	9230
Gauge	2mm
	2.5mm
Roll Size	2m x 20m
LRV	12
NCS	S 3060-Y90R

w/r = weld rod  
NCS = Natural Colour System  
LRV = Light Reflective Value

Decoration and shade may vary from the sample shown.

SA Sales Direct: +2711 609 3500 | email: [marketing@polyflor.co.za](mailto:marketing@polyflor.co.za) | [www.polyflor.co.za](http://www.polyflor.co.za)



Sustainable Slip Resistance throughout product's guaranteed life

# Polysafe Standard PUR

## Silver Birch




Code 4020  
Weld Rod 9200  
Gauge 2mm  
2.5mm  
Roll Size 2m x 20m  
LRV 27  
NCS S 4500-N

w/r = weld rod  
NCS = Natural Colour System  
LRV = Light Reflective Value

Decoration and shade may vary from the sample shown.


SA Sales Direct: +2711 609 3500 | email: [marketing@polyflor.co.za](mailto:marketing@polyflor.co.za) | [www.polyflor.co.za](http://www.polyflor.co.za)



Sustainable Slip Resistance throughout product's guaranteed life

# Polysafe Standard PUR

## Storm Blue




Code 4560  
Weld Rod 4910  
Gauge 2mm  
2.5mm  
Roll Size 2m x 20m  
LRV 15  
NCS S 5020-R80B

w/r = weld rod  
NCS = Natural Colour System  
LRV = Light Reflective Value


Decoration and shade may vary from the sample shown.

SA Sales Direct: +2711 609 3500 | email: [marketing@polyflor.co.za](mailto:marketing@polyflor.co.za) | [www.polyflor.co.za](http://www.polyflor.co.za)



# Polysafe Standard PUR

## Taupe



Code 4610  
Weld Rod 4620  
Gauge 2mm  
2.5mm  
Roll Size 2m x 20m  
LRV 24  
NCS S 5005-Y20R

w/r = weld rod  
NCS = Natural Colour System  
LRV = Light Reflective Value

Decoration and shade may vary from the sample shown.

SA Sales Direct: +2711 609 3500 | email: [marketing@polyflor.co.za](mailto:marketing@polyflor.co.za) | [www.polyflor.co.za](http://www.polyflor.co.za)

**POLYFLOR™**  
SOUTH AFRICA

**A+BRE**  
ENP 472  
ENVIRONMENTAL  
RATING  
Refer to BRE Global ratings on  
[www.greenbooklive.com](http://www.greenbooklive.com)

 **100% RECYCLABLE  
CONTAINS RECYCLED MATERIAL**


**POLYSAFE**  
**PUR**  
OPTIMUM  
APPEARANCE

HSECompliant  
**36+**  
PendulumWetTest

**Sustainable Slip Resistance**  
throughout product's guaranteed life

# Polysafe Standard PUR

## Twilight




Code 4490  
Weld Rod 4490  
Gauge 2mm  
2.5mm  
Roll Size 2m x 20m  
LRV 10  
NCS S 7502-B

w/r = weld rod  
NCS = Natural Colour System  
LRV = Light Reflective Value

Decoration and shade may vary from the sample shown.

SA Sales Direct: +2711 609 3500 | email: [marketing@polyflor.co.za](mailto:marketing@polyflor.co.za) | [www.polyflor.co.za](http://www.polyflor.co.za)




Sustainable Slip Resistance throughout product's guaranteed life



# Polysafe Standard PUR

## Wild Mushroom




Code 4600  
Weld Rod 4630  
Gauge 2mm  
2.5mm  
Roll Size 2m x 20m  
LRV 39  
NCS S 3005-Y20R

w/r = weld rod  
NCS = Natural Colour System  
LRV = Light Reflective Value

Decoration and shade may vary from the sample shown.

SA Sales Direct: +2711 609 3500 | email: [marketing@polyflor.co.za](mailto:marketing@polyflor.co.za) | [www.polyflor.co.za](http://www.polyflor.co.za)



Sustainable Slip Resistance throughout product's guaranteed life